

Navy and Marine Corps Public Health Center
Sexual Health and Responsibility Program (SHARP)
SHARP and SHARP-Adopted HP 2020 Goals (updated 2/2/2012)



SHARP Vision:

A DoN cultural norm in which physical and social sexual health are encouraged, supported and expected, and a DoN population in which all pregnancies are planned, and sexual violence, coercion and sexually transmitted infections, including HIV, are prevented.

SHARP Motto:

"Chart a Safe Course" affirms that each individual has the right and responsibility to make choices about their sexual health and behavior; and that sexual health decision-making is a lifelong and dynamic process because a person's circumstances and relationships may change over time.

Sexual Health Objective (and HP2020 Objective Number)	HP2020 Target	U.S. Baseline and DoN Status	SHARP target	DoD/DoN Requirement
Family Planning				
FP-1: Increase the proportion of pregnancies that are intended	56%	U.S. Baseline, 2002 = 51% USN enlisted-2008 = 36% USN officer-2008 = 70% USMC data not available	56%	supports MANNED (page 15-69)
HIV				
HIV-2: Reduce the number of new (incident) cases of HIV diagnosed among active duty members	HP2020 = developmental. National HIV Prev Strategy = reduce incidence by 25% by 2015	U.S.=developmental USN-2011 = 62 (27 /100K) USMC-2011 = 28 (18 /100K)	8 per 100K	DoDI 6485.1; SECNAVINST 5300.30
HIV 17-1: Increase the proportion of sexually active unmarried females aged 15 to 44 years who use condoms	38%	US Baseline, 2006-2008 = 34.5 % USN, 2008 = 35.29% USMC 2008 = 25.8%	38%	DoDI 1010.10 (Health Promotion and HP 2010)
HIV 17-2: Increase the proportion of sexually active unmarried males aged 15 to 44 years who use condoms	60.7%	US Baseline, 2006-2008 = 55.2 % USN, 2008 = 45.66% USMC 2008 = 38.14%	60.7%	DoDI 1010.10 (Health Promotion and HP 2010)
HIV-18: Decrease the proportion of men who have sex with men who reported unprotected anal sex in the past 12 months.	developmental			DoDI 1010.10 (Health Promotion and HP 2010)
STD Prevention				
STD 1.1: Reduce the proportion of active duty females with Chlamydia tracomatis infections.	6.7%	U.S. incidence 2010=610.6/100K U.S. prevalence (females age 15-24) = 8% USN-2011=1225 cases (2400.2/100K) USMC-2011=529 cases (3962.3/100K)	6.7% (6700/100K)	OPNAVINST 6120.3
STD 6-1: Reduce the incidence of Gonorrhea among active duty females aged 15-44	257 per 100K	U.S. all females 2010 = 106.5 / 100K U.S. females 2010 aged 20-24 = 560.7/100K USN 2011 = 71 cases; 139.1/100K USMC-2011 = 22 cases; 164.8/100K	257 per 100K	supports BUMED Inst 6222.10
STD 6-2: Reduce the incidence of Gonorrhea among active duty males aged 15-44	198 per 100K	U.S. all males 2010 = 94.1/100K U.S. males 2010 aged 20-24 = 421/100K USN 2011 = 208 cases; 76.2 /100K USMC-2011 = 164 cases; 86.7/100K	198 per 100K	supports BUMED Inst 6222.10
STD 7-1: Eliminate sustained domestic transmission of primary and secondary Syphilis among active duty females	1.4 per 100K	U.S. 2010 = 1.1/100K USN 2011 = 10.3/100K USMC 2011 = 3.9/100K	1.4 per 100K	supports BUMED Inst 6222.10
STD 7-2: Eliminate sustained domestic transmission of primary and secondary Syphilis among active duty males	6.8 per 100K	U.S. 2010 =7.9/100K USN 2011 = 18.2/100K USMC 2011 = 5.1 /100K	6.8 per 100K	supports BUMED Inst 6222.10
STD 3-1: Increase the proportion of sexually active females aged 16 to 20 years who are screened for genital Chlamydia infections during the measurement year	57.9% (Note - National Prevention Strategy Goal for females aged 21-24 enrolled in Medicare = 80% by 2021)	U.S. Baseline, 2008, Medicare = 52.7% Navy MTFs Jan 2010 (enrolled patients aged 16-24) = 77% All active duty Navy women aged <26 (does not include testing of women outside MTFs) = 52.3%	57.9%	DoDI 1010.10 (Health Promotion and HP 2010)

Navy and Marine Corps Public Health Center
Sexual Health and Responsibility Program (SHARP)
SHARP and SHARP-Adopted HP 2020 Goals (updated 2/2/2012)

Sexual Health Objective (and HP2020 Objective Number)	HP2020 Target	U.S. Baseline and DoN Status	SHARP target	DoD/DoN Requirement
STD 3-2: Increase the proportion of sexually active females aged 21 to 24 years who are screened for genital Chlamydia infections during the measurement year	65.3%	U.S. Baseline, 2008, Medicare = 52.7% Navy MTFs Jan 2010 (enrolled active duty patients aged 16-24) = 77%	65.3%	DoDI 1010.10 (Health Promotion and HP 2010)