

Navy and Marine Corps Public Health Center  
Sexual Health and Responsibility Program (SHARP)  
**SHARP and SHARP-Adopted HP 2010 Goals** (updated 5/8/2008)

| Sexual Health Objective<br>(and HP2010 Objective Number)  | HP2010 Target                           | U.S. Baseline and DoN Status   | SHARP target   | DoD/DoN Requirement                                       |
|---|---|--|----------------|---|
| <b>Family Planning</b>  |   |  |                |   |
| 9-1. Increase the proportion of <b>pregnancies</b> that are intended  | 70%                                     | U.S.-1995 = 51%. Navy enlisted-2005= <b>36%</b> ; Navy officer= <b>70%</b> . USMC data not available.  | 70%            | supports MANMED (page 15-69)                              |
| 9-3: Increase the proportion of females at risk of unintended pregnancy (and their partners) who use <b>contraception</b>   | 100%                                    | U.S.-1995=93%. (note: USN 2003=50% of women with UIP did not use contraception)  | 100%           | supports MANMED (page 15-69)                              |
| 9-5: Increase the proportion of family planning agencies that offer <b>emergency contraception (ec)</b>   | 90%                                     | Note: By policy, EC is available in <b>100%</b> of Navy MTFs. In 2005, 31% of Navy women and 15% of Navy men were aware of EC at MTFs  | 100%           | MANMED (page 15-69)                                       |
| 9-6c. Increase the proportion of unmarried males aged 15-24 years receiving <b>advice or counseling</b> from a doctor or other medical care provider about using methods of birth control, including condoms. | 37%                                     | U.S.-2002 = 21%. DoN=unknown.  | 37%            | DoDI 1010.10 (Health Promotion and HP 2010)               |
| <b>HIV</b>  |   |  |                |   |
| 13-5: Reduce the number of new cases of <b>HIV/AIDS diagnosed</b> among adolescents and adults  | developmental                           | U.S.=developmental. Active duty cases in 2007: USN= <b>75(32/100K)</b> USMC= <b>20(15.5/100K)</b>  | 8 per 100K     | DoDI 6485.1; SECNAVINST 5300.30                           |
| 13-6: Increase the proportion of sexually active adults who use <b>condoms</b>  | 50%                                     | NSFG 2002 never married, not cohab. = 64.9%, NSFG 2002 formerly married, not cohab. = 42.2%. Am College Hlth Assess. 2006 = 52.1%. Navy unmarried 2005 = <b>49%</b> . USMC unmarried 2005 = <b>51.3%</b> | 50%            | supports BUMED Inst 6222.10                               |
| <b>STD Prevention</b>   |   |  |                |   |
| 25-1a-c: Reduce the proportion of adolescents and young adults with <b>Chlamydia</b> tracomatis infections.   | 3%                                      | U.S.-2006=347.8/100K. USN-2007=1097 cases (328/100K); USMC-2007=576 cases (315/100K).  | 3% (3000/100K) | OPNAVINST 6120.3  |
| 25-2a: Reduce incidence of <b>Gonorrhea</b>   | 19 per 100K                             | U.S.-2006=120.9/100K. USN-2007=211 cases (63.2/100K). USMC-2007=94 cases (51.5/100K)   | 19 per 100K    | supports BUMED Inst 6222.10                               |
| 25-2b: Reduce the incidence of Gonorrhea among females aged 15-44 (also GPRA Goal 1c with target of 250)  | 42 per 100K                             | US 2006=290. USN 2007= <b>140</b> . USMC-2007=166.   | 42 per 100k    | supports BUMED Inst 6222.10                               |
| 25-3: Eliminate sustained domestic transmission of primary and secondary <b>Syphilis</b>  | CDC's SEE goal = 2.2 per 100K by 2010   | U.S.-2006=3.3/100K. Navy-2007 = 15 cases. USMC-2007=5 cases.   | 0.4 per 100K   | supports BUMED Inst 6222.10                               |
| 25-16: Increase proportion of sexually active <b>females aged 25 and under screened annually for genital Chlamydia infections.</b>  | 62%                                     | Navy MTFs Apr 00-Mar 01 (enrolled active duty patients aged 17-26) = <b>40%</b> ; HEDIS 2002 (ages 21-26) 90%ile: commercial= 35.22% medicaid = 59.42%   | 62%            | OPNAVINST 6120.3  |
| (1-3) Increase proportion of providers who <b>assess sexual risk</b> behavior during routine outpatient encounters  | STDs: "developmental"<br>Pregnancy: 50% | U.S. range: 28-50%   | 90%            | OPNAVINST 6120.3; Tricare/CHAMPUS Policy manual 6010.47 M |